Patent OI7034312001

## **CLAIMS**

## What is claimed is:

- A method of accessing segments in data storage systems, the method comprising:
   coalescing a plurality of extents in a segment into a plurality of groups based on data
   storage device location; and
   submitting a single I/O operation for each group of extents.
- 2. The method of claim 1, wherein at least one of the I/O operations returns one or more extents that are not in the segment.
- 3. The method of claim 1, wherein the plurality of extents coalesced is only a portion of the extents in the segment.
- 4. The method of claim 3, wherein the number of extents in the portion of the segment coalesced is user-defined.
- The method of claim 1, further comprising:
   partitioning at least one of the plurality of groups into two or more groups.
- 6. The method of claim 5, wherein partitioning of the at least one group is based on size.
- 7. The method of claim 6, wherein the size is dictated by system limits.
- 8. The method of claim 5, wherein partitioning of the at least one group is based on performance.
- The method of claim 1, further comprising:
   scheduling the I/O operations to overlap with CPU activity.

- 10. The method of claim 9, wherein the I/O operations are scheduled to ensure that the CPU is not idle while an I/O operation is executing.
- 11. The method of claim 9, further comprising: collecting information on CPU activity and I/O operations; and adjusting the scheduling of the I/O operations based on the collected information.
- 12. The method of claim 1, wherein at least two of the plurality of extents in the segment differ in size.
- 13. A computer program product that includes a computer readable medium, the computer readable medium comprising instructions which, when executed by a processor, causes the processor to execute a process for accessing segments in data storage systems, the process comprising:

coalescing a plurality of extents in a segment into a plurality of groups based on data storage device location; and

submitting a single I/O operation for each group of extents.

- 14. The computer program product of claim 13, wherein at least one of the I/O operations returns one or more extents that are not in the segment.
- 15. The computer program product of claim 13, wherein the plurality of extents coalesced is only a portion of the extents in the segment.
- 16. The computer program product of claim 15, wherein the number of extents in the portion of the segment coalesced is user-defined.
- 17. The computer program product of claim 13, wherein the process further comprises: partitioning at least one of the plurality of groups into two or more groups.

- 18. The computer program product of claim 17, wherein partitioning of the at least one group is based on size.
- 19. The computer program product of claim 18, wherein the size is dictated by system limits.
- 20. The computer program product of claim 17, wherein partitioning of the at least one group is based on performance.
- 21. The computer program product of claim 13, wherein the process further comprises: scheduling the I/O operations to overlap with CPU activity.
- 22. The computer program product of claim 21, wherein the I/O operations are scheduled to ensure that the CPU is not idle while an I/O operation is executing.
- 23. The computer program product of claim 21, wherein the process further comprises: collecting information on CPU activity and I/O operations; and adjusting the scheduling of the I/O operations based on the collected information.
- 24. The computer program product of claim 13, wherein at least two of the plurality of extents in the segment differ in size.
- 25. A system for accessing segments in data storage systems, the system comprising: means for coalescing a plurality of extents in a segment into a plurality of groups based on data storage device location; and
  - means for submitting a single I/O operation for each group of extents.
- 26. The system of claim 25, wherein at least one of the I/O operations returns one or more extents that are not in the segment.

- 27. The system of claim 25, wherein the plurality of extents coalesced is only a portion of the extents in the segment.
- 28. The system of claim 27, wherein the number of extents in the portion of the segment coalesced is user-defined.
- 29. The system of claim 25, further comprising:
  means for partitioning at least one of the plurality of groups into two or more groups.
- 30. The system of claim 29, wherein partitioning of the at least one group is based on size.
- 31. The system of claim 30, wherein the size is dictated by system limits.
- 32. The system of claim 29, wherein partitioning of the at least one group is based on performance.
- 33. The system of claim 25, further comprising:
  means for scheduling the I/O operations to overlap with CPU activity.
- 34. The system of claim 33, wherein the I/O operations are scheduled to ensure that the CPU is not idle while an I/O operation is executing.
- 35. The system of claim 33, further comprising: means for collecting information on CPU activity and I/O operations; and means for adjusting the scheduling of the I/O operations based on the collected information.
- 36. The system of claim 25, wherein at least two of the plurality of extents in the segment differ in size.